#### **Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott** 

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS SURVEILLANCE

**JULY 2016** 

### MONTHLY HIV/AIDS SURVEILLANCE REPORT

#### AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

#### HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



#### Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott** 

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

#### PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2016.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

#### LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (PLWHA Worksheet)

Total prevalence by diagnosis category (Excluding DOC)

Total living cases including Department of Corrections [DOC]

Total prevalence by gender (Excluding DOC)

Total prevalence by race/ethnicity (Excluding DOC)

Total prevalence by current age group (Excluding DOC)

Total prevalence by exposure category (Excluding DOC)

#### **ONE-IN STATEMENTS** (ONE-IN STATEMENTS Worksheet)

One-in statements for adult (>=13) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.

One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

#### **USEFUL WEBSITES LINKS** (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

#### Florida Department of Health

In Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533
FloridaHealth.gov



### **Cumulative Number of Reported AIDS Cases**

AIDS Cases by age group and	gender (Ex	ccluding E	epartment)	of Correc	tion - DOC	;)	AIDS (	Cases by a	age group,	race/ethn	icity & gen	der, show	ring Haitia	ns separat	ted (Exclud	ling DOC)		
AIDS Cases by	Female	е	Male		TOTAL	AIDS	Hispanic/l	_atino	Black		White		Haitia	n	Other (	1)	TOTAL	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	209	2.2%	196	0.7%	405	1.1%	29	29	168	151	5	7	6	8	1	1	209	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	135	0.5%	306	0.8%	20	42	127	84	5	2	15	6	4	1	171	135
20-29	1,734	18.0%	3,271	12.4%	5,005	13.9%	285	1,414	1,115	1,045	77	502	238	262	19	48	1,734	3,271
30-39	3,320	34.5%	9,553	36.2%	12,873	35.8%	544	4,142	2,010	2,697	165	1,668	559	896	42	150	3,320	9,553
40-49	2,483	25.8%	7,877	29.9%	10,360	28.8%	463	3,210	1,430	2,530	130	1,255	418	769	42	113	2,483	7,877
50-59	1,120	11.6%	3,662	13.9%	4,782	13.3%	245	1,486	577	1,261	56	485	217	375	25	55	1,120	3,662
60-64	275	2.9%	871	3.3%	1,146	3.2%	69	337	126	321	10	112	65	85	5	16	275	871
65-69	149	1.5%	438	1.7%	587	1.6%	30	152	77	176	5	58	34	43	3	9	149	438
>=70	113	1.2%	323	1.2%	436	1.2%	33	128	47	118	12	35	17	33	4	9	113	323
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,627	100%	26,381	100%	36,008	100%	1,728	10,951	5,710	8,419	469	4,126	1,574	2,482	146	403	9,627	26,381

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	IDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	22.6%	31	81.6%	38	0.1%
1983	16	19.5%	82	83.7%	98	0.3%
1984	18	13.5%	133	88.1%	151	0.4%
1985	29	18.0%	161	84.7%	190	0.5%
1986	71	21.6%	329	82.3%	400	1.1%
1987	63	15.6%	405	86.5%	468	1.3%
1988	109	19.7%	554	83.6%	663	1.8%
1989	194	24.7%	784	80.2%	978	2.7%
1990	171	23.4%	730	81.0%	901	2.5%
1991	362	23.6%	1,536	80.9%	1,898	5.3%
1992	304	25.7%	1,185	79.6%	1,489	4.1%
1993	443	26.4%	1,680	79.1%	2,123	5.9%
1994	748	31.0%	2,414	76.3%	3,162	8.8%
1995	668	38.8%	1,723	72.1%	2,391	6.6%
1996	579	37.1%	1,560	72.9%	2,139	5.9%
1997	432	39.5%	1,093	71.7%	1,525	4.2%
1998	475	46.1%	1,030	68.4%	1,505	4.2%
1999	357	41.1%	869	70.9%	1,226	3.4%

AIDS Cases by	Femal	е	Male		TOTAL A	AIDS
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	46.5%	815	68.3%	1,194	3.3%
2001	372	48.7%	764	67.3%	1,136	3.2%
2002	323	40.9%	789	71.0%	1,112	3.1%
2003	304	42.8%	710	70.0%	1,014	2.8%
2004	410	46.1%	889	68.4%	1,299	3.6%
2005	392	49.7%	789	66.8%	1,181	3.3%
2006	396	53.9%	735	65.0%	1,131	3.1%
2007	275	53.1%	518	65.3%	793	2.2%
2008	324	45.0%	720	69.0%	1,044	2.9%
2009	255	44.5%	573	69.2%	828	2.3%
2010	199	43.4%	458	69.7%	657	1.8%
2011	234	49.3%	475	67.0%	709	2.0%
2012	158	36.0%	439	73.5%	597	1.7%
2013	188	40.0%	470	71.4%	658	1.8%
2014	144	39.5%	365	71.7%	509	1.4%
2015	146	45.2%	323	68.9%	469	1.3%
2016	82	33.3%	246	75.0%	328	0.9%
Total Adult AIDS	9,627	36.5%	26,381	73.3%	36,008	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

AIDS / 2016-07 3 of 23

### **Cumulative Number of Reported AIDS Cases**

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S					Pediati	ric AIDS					TOTAL AI	DS CASES	S	
AIDS by Race/	Female	е	Male		Total Ad	ult	Female	е	Male		Total Ped	atric	Total Fer	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,705	18.2%	10,939	41.9%	12,644	35.6%	39	14.9%	40	15.9%	79	15.4%	1,744	18.1%	10,979	41.6%	12,723	35.3%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	22	0.1%	24	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	22	0.1%	24	0.1%
Black or African American	7,036	75.1%	10,648	40.8%	17,684	49.8%	212	80.9%	200	79.7%	412	80.3%	7,248	75.3%	10,848	41.1%	18,096	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	460	4.9%	4,121	15.8%	4,581	12.9%	9	3.4%	9	3.6%	18	3.5%	469	4.9%	4,130	15.7%	4,599	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	158	1.7%	385	1.5%	543	1.5%	2	0.8%	2	0.8%	4	0.8%	160	1.7%	387	1.5%	547	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,365	100%	26,130	100%	35,495	100%	262	100%	251	100%	513	100%	9,627	100%	26,381	100%	36,008	100%

<sup>\*</sup> This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	S	_	
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,587	55.8%	14,587	41.1%
Adult injection drug use [IDU]	2,057	22.0%	3,195	12.2%	5,252	14.8%
Adult MSM & IDU			1,407	5.4%	1,407	4.0%
Adult heterosexual contact [HTRSX]	6,265	66.9%	4,152	15.9%	10,417	29.3%
Adult other risk*	169	1.8%	193	0.7%	362	1.0%
Adult no risk factor reported [NRR]	874	9.3%	2,596	9.9%	3,470	9.8%
Total adult AIDS	9,365	100%	26,130	100%	35,495	100%

<sup>\*</sup> Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Pedi	iatric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	259	98.9%	243	96.8%	502	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	262	100%	251	100%	513	100%

### **Cumulative Number of Reported AIDS Cases**

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
	MALE-TO-	MALE	INJECT	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	<b>!</b> *	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			246	12.0%			1,302	20.8%	33	19.5%	124	14.2%	1,705	18.2%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,562	75.9%			4,650	74.2%	117	69.2%	707	80.9%	7,036	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			205	10.0%			208	3.3%	14	8.3%	33	3.8%	460	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			99	1.6%	5	3.0%	10	1.1%	158	1.7%
Adult Female AIDS			2,057	100%			6,265	100%	169	100%	874	100%	9,365	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			INLIFOT	1011	MOM	ID.II	UETEROO	EVILAL	OTHER		NO DEDO	DTED	TOTAL A	DIII T
	MALE-TO-	MALE	INJECT	ION	MSM &	טטו	HETEROS	EXUAL	OTHER	<b>(</b> *	NO REPO	KIED	TOTAL A	DULI
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	7,991	54.8%	708	22.2%	505	35.9%	1,052	25.3%	61	31.6%	622	24.0%	10,939	41.9%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	15	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	22	0.1%
Black or African American	3,044	20.9%	2,199	68.8%	602	42.8%	2,926	70.5%	83	43.0%	1,794	69.1%	10,648	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,311	22.7%	239	7.5%	274	19.5%	103	2.5%	45	5.0%	149	5.7%	4,121	15.8%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	219	1.5%	48	1.5%	26	1.8%	63	1.5%	4	2.1%	25	1.0%	385	1.5%
Adult Male AIDS	14,587	100%	3,195	100%	1,407	100%	4,152	100%	193	82%	2,596	100%	26,130	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,587	41.1%	5,252	14.8%	1.407	4.0%	10,417	29.3%	362	1.0%	3,470	9.8%	35,495	100%

#### **Cumulative Number of Reported AIDS Cases**

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CAS	PEDIATRIC FEMALE AIDS CASES														
Exposure Category/	PERINA	ΓAL	НЕМОРНІ	LIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE			
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %			
Hispanic/Latino (All Races)	37	14.3%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.9%			
Black or African American	211	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.9%			
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%			
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%			
Pediatric Female AIDS	259	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	262	100%			

Exposure Category/	PERINA	ΓAL	НЕМОРНІ	ILIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	502	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	513	100%

#### Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.6%	166	1.5%	87.4%	190	1.5%	100%
Brazil	12	0.7%	8.7%	126	1.2%	91.3%	138	1.1%	100%
Colombia	74	4.3%	12.6%	513	4.7%	87.4%	587	4.6%	100%
Cuba	408	23.9%	7.7%	4,859	44.4%	92.3%	5,267	41.7%	100%
Dominican Republic	74	4.3%	31.9%	158	1.4%	68.1%	232	1.8%	100%
Guatemala	20	1.2%	16.3%	103	0.9%	83.7%	123	1.0%	100%
Honduras	138	8.1%	29.3%	333	3.0%	70.7%	471	3.7%	100%
Mexico	21	1.2%	8.0%	243	2.2%	92.0%	264	2.1%	100%
Nicaragua	83	4.9%	18.4%	368	3.4%	81.6%	451	3.6%	100%
Peru	26	1.5%	13.2%	171	1.6%	86.8%	197	1.6%	100%
Puerto Rico	188	11.0%	17.6%	883	8.1%	82.4%	1,071	8.5%	100%
United States	399	23.4%	20.8%	1,519	13.9%	79.2%	1,918	15.2%	100%
Venezuela	17	1.0%	6.0%	268	2.4%	94.0%	285	2.3%	100%
Other/Unknown Countries	221	13.0%	15.2%	1,229	11.2%	84.8%	1,450	11.5%	100%
Total Adult Hispanic/Latino	1,705	100%	13.5%	10,939	100%	86.5%	12,644	100%	100%

### **Cumulative Number of Reported AIDS Cases**

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEI	MALE AIDS	CASES													
Country of Origin	MALE-TO-I SEXUAL C		INJECT DRUG US		MSM &	IDU	HETEROS CONTA	-	OTHER RISK	-	NO REPO RISK [N		by C	panic/Latin ountry of O	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Brazil			2	16.7%			10	83.3%	0	0.0%	0	0.0%	12	0.7%	100%
Colombia			7	9.5%			55	74.3%	2	2.7%	10	13.5%	74	4.3%	100%
Cuba			55	13.5%			304	74.5%	8	2.0%	41	10.0%	408	23.9%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.3%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			121	87.7%	1	0.7%	8	5.8%	138	8.1%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.8%			68	81.9%	1	1.2%	10	12.0%	83	4.9%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.5%	100%
Puerto Rico			50	26.6%			126	67.0%	3	1.6%	9	4.8%	188	11.0%	100%
United States			84	21.1%			282	70.7%	15	3.8%	18	4.5%	399	23.4%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			23	10.4%			178	80.5%	2	0.9%	18	8.1%	221	13.0%	100%
Total adult Hispanic/Latino Female			246	14.4%			1,302	76.4%	33	1.9%	124	7.3%	1,705	100%	100%
ADULT HISPANIC/LATINO MA	LE AIDS C	ASES													
	MALE-TO-	MALE	INJEC:	TION	MSM &	IDII	HETEROS	EVIIAI	OTHER	<b>)</b> *	NO REPO	DTED	Total III	snanic/l ati	M-I-

Country of Origin	MALE-TO-N SEXUAL CO		INJECT DRUG US	-	MSM &	IDU	HETEROS CONTA	_	OTHER RISK		NO REPO RISK [N			spanic/Lati ountry of O	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	138	83.1%	4	2.4%	7	4.2%	14	8.4%	0	0.0%	3	1.8%	166	1.5%	100%
Brazil	104	82.5%	7	5.6%	5	4.0%	6	4.8%	2	1.6%	2	1.6%	126	1.2%	100%
Colombia	416	81.1%	15	2.9%	18	3.5%	41	8.0%	3	0.6%	20	3.9%	513	4.7%	100%
Cuba	3,759	77.4%	211	4.3%	194	4.0%	394	8.1%	26	0.5%	275	5.7%	4,859	44.4%	100%
Dominican Republic	86	54.4%	8	5.1%	5	3.2%	43	27.2%	1	0.6%	15	9.5%	158	1.4%	100%
Guatemala	55	53.4%	5	4.9%	2	1.9%	29	28.2%	0	0.0%	12	11.7%	103	0.9%	100%
Honduras	213	64.0%	18	5.4%	6	1.8%	70	21.0%	4	1.2%	22	6.6%	333	3.0%	100%
Mexico	165	67.9%	11	4.5%	7	2.9%	40	16.5%	0	0.0%	20	8.2%	243	2.2%	100%
Nicaragua	270	73.4%	10	2.7%	13	3.5%	53	14.4%	1	0.3%	21	5.7%	368	3.4%	100%
Peru	138	80.7%	2	1.2%	2	1.2%	18	10.5%	0	0.0%	11	6.4%	171	1.6%	100%
Puerto Rico	438	49.6%	215	24.3%	105	11.9%	70	7.9%	3	0.3%	52	5.9%	883	8.1%	100%
United States	1,045	68.8%	157	10.3%	111	7.3%	132	8.7%	14	0.9%	60	3.9%	1,519	13.9%	100%
Venezuela	234	87.3%	3	1.1%	3	1.1%	18	6.7%	2	0.7%	8	3.0%	268	2.4%	100%
Other/Unknown Countries	930	75.7%	42	3.4%	27	2.2%	124	10.1%	5	0.4%	101	8.2%	1,229	11.2%	100%
Total adult Hispanic/Latino Male	7,991	73.1%	708	6.5%	505	4.6%	1,052	9.6%	61	0.6%	622	5.7%	10,939	100%	100%
TOTAL ADULT HISPANIC/LATINO	7,991	63.2%	954	7.5%	505	4.0%	2,354	18.6%	94	0.7%	746	5.9%	12,644	100%	

# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS	DULT HAITIAN BORN AIDS CASES													
Exposure Category	MALE-TO-N	MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Ha	iitian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	by Ger	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			56	3.6%			1,174	75.1%	26	1.7%	307	19.6%	1,563	100%
Haitian born Adult Males	549	22.2%	77	3.1%	28	1.1%	909	36.8%	12	0.5%	894	36.2%	2,469	100%
Total Haitian born	549	13.6%	133	3.3%	28	0.7%	2,083	51.7%	38	0.9%	1,201	29.8%	4,032	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

.,					- J	
		DOC A	AIDS Case	s		
AIDS Cases by	Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	93	13.8%	93	13.2%
Black or African American	21	77.8%	480	71.1%	501	71.4%
White	4	14.8%	70	10.4%	74	10.5%
Haitian	1	3.7%	19	2.8%	20	2.8%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	675	100%	702	100%

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

HIV (not AIDS) cases by age gr	oup and g	ender (Ex	cluding De	partment	of Correcti	on - DOC	HIV (not A	IDS) Case	es by age g	group, rac	e/ethnicity	& gender,	showing I	Haitians s	eparated (L	Excluding	DOC)	
HIV Cases by	Female	9	Male		TOTAL I	HIV	Hispanic/I	Latino	Black		White	1	Haitiar	n	Other (	1)	TOTAL I	HIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	62	1.5%	46	0.4%	108	0.7%	13	8	47	35	1	0	1	2	0	1	62	46
5-12	35	0.9%	18	0.2%	53	0.3%	5	5	24	10	0	0	6	3	0	0	35	18
13-19	221	5.5%	317	2.7%	538	3.4%	44	133	163	161	6	9	7	11	1	3	221	317
20-29	966	24.0%	2,921	24.8%	3,887	24.6%	224	1,605	578	848	51	340	102	84	11	44	966	2,921
30-39	1,089	27.0%	3,676	31.2%	4,765	30.1%	261	2,114	553	728	74	638	191	153	10	43	1,089	3,676
40-49	930	23.1%	2,916	24.8%	3,846	24.3%	231	1,540	478	669	63	504	143	166	15	37	930	2,916
50-59	516	12.8%	1,307	11.1%	1,823	11.5%	141	547	248	416	21	227	100	101	6	16	516	1,307
60-64	97	2.4%	276	2.3%	373	2.4%	25	102	39	93	4	47	29	27	0	7	97	276
65-69	75	1.9%	171	1.5%	246	1.6%	23	74	35	59	4	24	12	14	1	0	75	171
>=70	37	0.9%	129	1.1%	166	1.1%	7	47	11	52	4	15	14	12	1	3	37	129
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	4,028	100%	11,777	100%	15,805	100%	974	6,175	2,176	3,071	228	1,804	605	573	45	154	4,028	11,777

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

THY (NOT AIDS) Guises by year t		g	1	,,		· · · · · · · · · · · · · · · · · · ·
HIV Cases by	Femal	е	Male		TOTAL I	VIH
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	121	36.8%	208	63.2%	329	2.1%
1998	266	30.8%	597	69.2%	863	5.5%
1999	254	31.0%	566	69.0%	820	5.2%
2000	229	30.7%	518	69.3%	747	4.7%
2001	236	30.3%	544	69.7%	780	4.9%
2002	285	30.4%	652	69.6%	937	5.9%
2003	231	28.0%	595	72.0%	826	5.2%
2004	222	27.2%	593	72.8%	815	5.2%
2005	221	31.3%	486	68.7%	707	4.5%
2006	178	28.0%	458	72.0%	636	4.0%
2007	220	26.8%	600	73.2%	820	5.2%
2008	227	25.1%	678	74.9%	905	5.7%
2009	175	24.1%	551	75.9%	726	4.6%
2010	166	22.7%	564	77.3%	730	4.6%
2011	176	22.0%	624	78.0%	800	5.1%
2012	156	22.0%	553	78.0%	709	4.5%

HIV Cases by	Femal	е	Male		TOTAL	HIV
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2013	193	22.7%	659	77.3%	852	5.4%
2014	159	17.0%	775	83.0%	934	5.9%
2015	184	17.3%	881	82.7%	1,065	6.7%
2016	129	16.0%	675	84.0%	804	5.1%
Total HIV	4,028	25.5%	11,777	74.5%	15,805	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

HIV / 2016-07 9 of 23

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV						Pediati	ric HIV					Cases Col % Cases 6 6,180 52.5% 7,15 7 0.0% 32 0.3% 3 6 3,634 30.9% 6,40 5 0.0% 1,805 15.3% 2,03 7 0.1%			
HIV by Race/	Female	е	Male		Total Ac	lult	Female	е	Male		Total Pedi	iatric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	961	24.4%	6,167	52.7%	7,128	45.6%	18	18.6%	13	20.3%	31	19.3%	979	24.3%	6,180	52.5%	7,159	45.3%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	5	0.0%	7	0.0%
Asian	4	0.1%	32	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	32	0.3%	36	0.2%
Black or African American	2,696	68.6%	3,584	30.6%	6,280	40.1%	77	79.4%	50	78.1%	127	78.9%	2,773	68.8%	3,634	30.9%	6,407	40.5%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	228	5.8%	1,805	15.4%	2,033	13.0%	1	1.0%	0	0.0%	1	0.6%	229	5.7%	1,805	15.3%	2,034	12.9%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.6%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	109	0.9%	147	0.9%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	109	0.9%	148	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,931	100%	11,713	100%	15,644	100%	97	100%	64	100%	161	100%	4,028	100%	11,777	100%	15,805	100%

<sup>\*</sup> This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

				•		
			Adult HIV			
	Femal	е	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			8,159	69.7%	8,159	52.2%
Adult injection drug use [IDU]	279	7.1%	330	2.8%	609	3.9%
Adult MSM & IDU			259	2.2%	259	1.7%
Adult heterosexual contact [HTRSX]	3,117	79.3%	1,747	14.9%	4,864	31.1%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	529	13.5%	1,214	10.4%	1,743	11.1%
Total adult HIV	3,931	100%	11,713	100%	15,644	100%

<sup>\*</sup> Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	HIV		
	Femal	е	Male		Total Ped	iatric
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	94	96.9%	63	98.4%	157	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.6%	4	2.5%
Total Pediatric HIV	97	100%	64	100%	161	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/	MALE-TO-MALE SEXUAL CONTACT		INJECT DRUG US		MSM &	IDU	HETEROS CONTA	-	OTHER		NO REPO RISK [N		TOTAL A	_
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			68	24.4%			731	23.5%	2	33.3%	160	30.2%	961	24.4%
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			163	58.4%			2,201	70.6%	2	33.3%	330	62.4%	2,696	68.6%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			41	14.7%			153	4.9%	1	16.7%	33	6.2%	228	5.8%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			27	0.9%	1	16.7%	3	0.6%	38	1.0%
Adult Female HIV			279	100%			3,117	100%	6	100%	529	100%	3,931	100%

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM &	DU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	MALE	<b>E</b>
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4,971	60.9%	100	30.3%	126	48.6%	503	28.8%	0	0.0%	467	38.5%	6,167	52.7%
American Indian/Alaska Native	4	0.0%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.0%
Asian	28	0.3%	0	0.0%	1	0.4%	1	0.1%	0	0.0%	2	0.2%	32	0.3%
Black or African American	1,536	18.8%	188	57.0%	76	29.3%	1,152	65.9%	2	50.0%	630	51.9%	3,584	30.6%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,539	18.9%	39	11.8%	51	19.7%	67	3.8%	2	50.0%	107	8.8%	1,805	15.4%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	71	0.9%	3	0.9%	5	1.9%	23	1.3%	0	0.0%	7	0.6%	109	0.9%
Adult Male HIV	8,159	100%	330	100%	259	100%	1,747	100%	4	100%	1,214	100%	11,713	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	8,159	52.2%	609	3.9%	259	1.7%	4,864	31.1%	10	0.1%	1,743	11.1%	15,644	100%

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES													
Exposure Category/	PERINAT	ΓAL	HEMOPH	LIAC	TRANSFL	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	
Hispanic/Latino (All Races)	16	17.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	18.6%	
Black or African American	76	80.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	79.4%	
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%	
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%	
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%	
Pediatric Female HIV	94	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	97	100%	

Exposure Category/	PERINA	ΓAL	HEMOPHI	ILIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	20.3%
Black or African American	49	77.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	50	78.1%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Pediatric Male HIV	63	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	64	100%

	Cases	Row %										
TOTAL PEDIATRIC HIV	157	97.5%	0	0.0%	0	0.0%	0	0.0%	4	2.5%	161	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMAL	E HIV	ADU	JLT MALE	HIV	TOTAL HIS	PANIC/LATI	NO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.2%	12.5%	147	2.4%	87.5%	168	2.4%	100%
Brazil	15	1.6%	10.0%	135	2.2%	90.0%	150	2.1%	100%
Colombia	37	3.9%	11.3%	290	4.7%	88.7%	327	4.6%	100%
Cuba	176	18.3%	8.1%	2,007	32.5%	91.9%	2,183	30.6%	100%
Dominican Republic	34	3.5%	28.3%	86	1.4%	71.7%	120	1.7%	100%
Honduras	67	7.0%	29.6%	159	2.6%	70.4%	226	3.2%	100%
Mexico	8	0.8%	5.2%	147	2.4%	94.8%	155	2.2%	100%
Nicaragua	35	3.6%	19.3%	146	2.4%	80.7%	181	2.5%	100%
Peru	14	1.5%	13.7%	88	1.4%	86.3%	102	1.4%	100%
Puerto Rico	62	6.5%	19.9%	249	4.0%	80.1%	311	4.4%	100%
United States	241	25.1%	16.0%	1,265	20.5%	84.0%	1,506	21.1%	100%
Venezuela	24	2.5%	5.9%	382	6.2%	94.1%	406	5.7%	100%
Other/Unknown Countries	227	23.6%	17.6%	1,066	17.3%	82.4%	1,293	18.1%	100%
Total Adult Hispanic/Latino HIV	961	100%	13.5%	6,167	100%	86.5%	7,128	100%	100%

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-	-MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	<b>?</b> *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.2%	100%
Brazil			0	0.0%			12	80.0%	0	0.0%	3	20.0%	15	1.6%	100%
Colombia			2	5.4%			31	83.8%	0	0.0%	4	10.8%	37	3.9%	100%
Cuba			9	5.1%			143	81.3%	0	0.0%	24	13.6%	176	18.3%	100%
Dominican Republic			1	2.9%			30	88.2%	0	0.0%	3	8.8%	34	3.5%	100%
Honduras			1	1.5%			59	88.1%	0	0.0%	7	10.4%	67	7.0%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.6%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.5%	100%
Puerto Rico			10	16.1%			40	64.5%	0	0.0%	12	19.4%	62	6.5%	100%
United States			32	13.3%			177	73.4%	2	0.8%	30	12.4%	241	25.1%	100%
Venezuela			1	4.2%			21	87.5%	0	0.0%	2	8.3%	24	2.5%	100%
Other/Unknown Countries			6	2.6%			158	69.6%	0	0.0%	63	27.8%	227	23.6%	100%
Total adult Hispanic/Latino Female			68	7.1%			731	76.1%	2	0.2%	160	16.6%	961	100%	100%
ADULT HISPANIC/LATINO MAI	LE HIV CA	SES													
	MALE-TO-	-MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	<b>?</b> *	NO REPO	RTED	Total Hi	spanic/Lati	no Male
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]		1	CONTA	СТ	RISK		RISK [N	IRR]		ountry of O	rigin
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	129	87.8%	2	1.4%	2	1.4%	9	6.1%	0	0.0%	5	3.4%	147	2.4%	100%
Brazil	125	92.6%	0	0.0%	2	1.5%	4	3.0%	0	0.0%	4	3.0%	135	2.2%	100%
Colombia	248	85.5%	1	0.3%	9	3.1%	17	5.9%	0	0.0%	15	5.2%	290	4.7%	100%
Cuba	1,675	83.5%	21	1.0%	40	2.0%	176	8.8%	0	0.0%	95	4.7%	2,007	32.5%	100%
Dominican Republic	56	65.1%	3	3.5%	3	3.5%	16	18.6%	0	0.0%	8	9.3%	86	1.4%	100%
Honduras	111	69.8%	1	0.6%	3	1.9%	29	18.2%	0	0.0%	15	9.4%	159	2.6%	100%
Mexico	123	83.7%	2	1.4%	1	0.7%	12	8.2%	0	0.0%	9	6.1%	147	2.4%	100%
Nicaragua	112	76.7%	2	1.4%	2	1.4%	18	12.3%	0	0.0%	12	8.2%	146	2.4%	100%
Peru	79	89.8%	1	1.1%	1	1.1%	6	6.8%	0	0.0%	1	1.1%	88	1.4%	100%
Puerto Rico	182	73.1%	29	11.6%	18	7.2%	10	4.0%	0	0.0%	10	4.0%	249	4.0%	100%
United States	1,032	81.6%	25	2.0%	31	2.5%	97	7.7%	0	0.0%	80	6.3%	1,265	20.5%	100%
Venezuela	346	90.6%	0	0.0%	2	0.5%	16	4.2%	0	0.0%	18	4.7%	382	6.2%	100%
Other/Unknown Countries	753	70.6%	13	1.2%	12	1.1%	93	8.7%	0	0.0%	195	18.3%	1,066	17.3%	100%
Total adult Hispanic/Latino Ma	4,971	80.6%	100	1.6%	126	2.0%	503	8.2%	0	0.0%	467	7.6%	6,167	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	
	Cases	11011 /0	Judge	11011 /0											

### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CA	ASES													
Exposure Category	MALE-TO	-MALE	INJEC.	TION	[MSM\ &	[IDU]	HETEROS	SEXUAL	OTHER	<b>?*</b>	NO REPO	RTED	<b>Total Hait</b>	tian
GENDER	SEXUAL C	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	by Ge	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.8%			523	87.5%	0	0.0%	64	10.7%	598	100%
Haitian born Adult Males	113	19.9%	7	1.2%	1	0.2%	311	54.8%	0	0.0%	136	23.9%	568	100%
Total Haitian born	113	9.7%	18	1.5%	1	0.1%	834	71.5%	0	0.0%	200	17.2%	1,166	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

		DC	C HIV Cas	ses		
HIV Cases by	Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	29.4%	77	17.8%	82	18.3%
Black or African American	8	47.1%	275	63.7%	283	63.0%
White	4	23.5%	61	14.1%	65	14.5%
Haitian	0	0.0%	12	2.8%	12	2.7%
Other (1)	0	0.0%	7	1.6%	7	1.6%
Total HIV	17	100%	432	100%	449	100%

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

HIV / 2016-07 14 of 23

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. (1)

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	18	5	0	74	0	97
2016	29	0	0	19	0	48
Total	228	17	2	837	0	1,084

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. (1)

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	4	41	3	0	48
Total	197	835	43	9	1,084

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. (1)

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	32	12	2	1	0	1	48
Total	811	214	35	10	6	8	1,084

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	159	48	12	3	3	2	227
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	638	165	20	7	2	6	838
Unknown	0	0	0	0	0	0	-
Total	811	214	35	10	6	8	1,084

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup> , 2006. (1)

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	228	0	0	0	228
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	603	234	0	837
Unknown	0	0	0	0	0	0	-
Total	19	0	228	603	234	0	1,084

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

Source: Electronic HIV/AIDS Reporting System [e-HARS]

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

Perinatal HIV/AIDS	Pediatric	HIV	Pediat	ric AIDS		TOTAL	
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Total Confirmed Perinatal Cases	40	71%	16	29%	56	100%	100%

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20<sup>th</sup>, 2006. (1)

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	9	1	0	1	0	11	1.0%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	9	3	0	18	0	30	2.8%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.6%
JACKSON MEMORIAL HOSPITAL	154	7	0	741	0	902	83.2%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	12	0	0	8	0	20	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	15	2	0	29	0	46	4.2%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.6%
TOTAL	228	17	2	837	0	1,084	100%

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE**

#### LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING CASES by DIAGNOSIS							
	AIDS		HIV (Not A	IDS)	Total Prevalence			
GENDER	Cases	Col %	Cases	Col %	Cases	Col %		
Female	3,781	29%	3,344	26%	7,125	27%		
Male	9,478	71%	9,738	74%	19,216	73%		
Total Prevalence	13,259	100%	13,082	100%	26,341	100%		

* Living Cases Including DOC				
AIDS	13,639			
HIV	13,427			
Total	27,066			

		* LIVING CASES by DIAGNOSIS					* LIVING CASES by GENDER						
	AID	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
RACE/ETHNICITY	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	
Hispanic (All Races)	5,469	41%	6,114	47%	11,583	44%	1,672	23%	9,911	52%	11,583	44%	
Not Hispanic, Black	6,261	47%	5,195	40%	11,456	43%	5,024	71%	6,432	33%	11,456	43%	
Not Hispanic, White	1,317	10%	1,620	12%	2,937	11%	331	5%	2,606	14%	2,937	11%	
Not Hispanic, Other	212	2%	153	1%	365	1%	98	1%	267	1%	365	1%	
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%	

	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AID	S	HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
CURRENT AGE	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-01 years	-	0%	5	0%	5	0%	4	0%	1	0%	5	0%
02-12 years	5	0%	19	0%	24	0%	8	0%	16	0%	24	0%
13-24 years	205	2%	606	5%	811	3%	243	3%	568	3%	811	3%
25-44 years	2,991	23%	5,431	42%	8,422	32%	2,326	33%	6,096	32%	8,422	32%
45-64 years	8,524	64%	6,128	47%	14,652	56%	3,876	54%	10,776	56%	14,652	56%
65+ years	1,534	12%	893	7%	2,427	9%	668	9%	1,759	9%	2,427	9%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

#### FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE** LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016.

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING	* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENDE							
	AID	S	HIV (Not	AIDS)	Total Prev				
EXPOSURE CATEGORY (1)	Cases	Col %	Cases	Col %	Cases	Col %			
MALE						% of Male	% of Total		
Male-to-male sexual contact [MSM]	6,282	66%	7,543	77%	13,825	72%	52%		
Injection drug use [IDU]	605	6%	283	3%	888	5%	3%		
MSM & IDU	434	5%	252	3%	686	4%	3%		
Heterosexual contact	2,038	22%	1,598	16%	3,636	19%	14%		
Other risk	119	1%	62	1%	181	1%	1%		
Total Male Prevalence	9,478	100%	9,738	100%	19,216	100%			
FEMALE					%	of Female			
Injection drug use [IDU]	487	13%	233	7%	720	10%	3%		
Heterosexual contact	3,169	84%	3,026	90%	6,195	87%	24%		
Other risk	125	3%	85	3%	210	3%	1%		
Total Female Prevalence	3,781	100%	3,344	100%	7,125	100%	100%		

	AID	S	HIV (Not	AIDS)	Total Prevalence		
	Cases	Row %	Cases	Row %	Cases	Total %	
TOTAL PREVALENCE	13,259	50%	13,082	50%	26,341	100%	

<sup>(1)</sup> No identified risk redistributed

Source: Florida Department of Health, Bureau of Communicable Diseases HIV/AIDS Section.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

\* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
One in 63 White adult male in Miami-Dade is living with HIV or AIDS	One in 171 White adult male
One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 38 Black adult male</li> </ul>
One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 97 Hispanic adult male</li> </ul>
One in 91 other race adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 199 Other adult male</li> </ul>
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 102 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS						
MIAMI-DADE	FLORIDA					
One in 472 White adult female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 1,048 White adult female</li> </ul>					
One in 38 Black adult female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 61 Black adult female</li> </ul>					
<ul> <li>One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 424 Hispanic adult female</li> </ul>					
<ul> <li>One in 272 other race adult female in Miami-Dade is living with HIV or AID</li> </ul>	• One in 582 Other adult female					
One in 164 adult female in Miami-Dade is living with HIV or AIDS	One in 277 adult female in Florida					

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS						
MIAMI-DADE	FLORIDA					
One in 109 White adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 299 White adult</li> </ul>					
One in 31 Black adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 48 Black adult</li> </ul>					
<ul> <li>One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 160 Hispanic adult</li> </ul>					
One in 140 other race adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 307 Other adult race</li> </ul>					
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 152 adult Floridian					

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

<sup>\*</sup> Living data now reflects those living on our area regardless of where diagnosed.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

\* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 76 White male in Miami-Dade is living with HIV or AIDS	One in 193 White male				
One in 33 Black male in Miami-Dade is living with HIV or AIDS	One in 49 Black male				
One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 120 Hispanic male</li> </ul>				
One in 112 other race male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 261 Other male</li> </ul>				
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida				

TOTAL FEMALE LIVING WITH HIV OR AIDS						
MIAMI-DADE	FLORIDA					
One in 564 White female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 1,173 White female</li> </ul>					
<ul> <li>One in 46 Black female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 75 Black female</li> </ul>					
<ul> <li>One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 517 Hispanic female</li> </ul>					
One in 325 other race female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 735 Other female</li> </ul>					
One in 191 female in Miami-Dade is living with HIV or AIDS	One in 322 female in Florida					

TOTAL ALL SEXES LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
One in 131 White in Miami-Dade is living with HIV or AIDS	One in 336 White	
One in 38 Black in Miami-Dade is living with HIV or AIDS	One in 60 Black	
<ul> <li>One in 152 Hispanic in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 196 Hispanic</li> </ul>	
<ul> <li>One in 169 other race in Miami-Dade is living with HIV or AIDS</li> <li>One in 395 Other race</li> </ul>		
One in 101 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian	

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

<sup>\*</sup> Living data now reflects those living on our area regardless of where diagnosed.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC]  Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int

WEBSITES 23 of 23